AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract l		Page 1 Of 6
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req N	l	5. Project No.	(If applicable)
0001	2000JAN04	SEE SCHEDULE			
6. Issued By  TACOM-ROCK ISLAND  AMSTA-LC-CFA-B  CINDY AHRENS (309) 782-4372  ROCK ISLAND IL 61299-7630	Code W52H09	7. Administered By (If other t	han Item 6)		Code
EMAIL: AHRENSC@RIA.ARMY.MIL		SCD	PAS	ADP I	PT .
8. Name And Address Of Contractor (No., Stre	et, City, County, State and			nt Of Solicitation	ı No.
			DAAE20-00-R- 9B. Dated (See 1999DEC01 10A. Modifica	e Item 11) tion Of Contract	/Order No.
Code Facility Code			(		
11. T	HIS ITEM ONLY APPLI	ES TO AMENDMENTS OF SO	LICITATION	IS	
is extended, is not extended.  Offers must acknowledge receipt of this ame (a) By completing items 8 and 15, and return offer submitted; or (c) By separate letter or ACKNOWLEDGMENT TO BE RECEIVED SPECIFIED MAY RESULT IN REJECTIO change may be made by telegram or letter, popening hour and date specified.  12. Accounting And Appropriation Data (If red	ning <u>2 signed</u> copies of telegram which includes a DAT THE PLACE DESIGN OF YOUR OFFER. If I provided each telegram or b	of the amendments: (b) By acknown reference to the solicitation and SNATED FOR THE RECEIPT by virtue of this amendment you	owledging reco l amendment n OF OFFERS l ı desire to chai	eipt of this ame n numbers. FAILU PRIOR TO THE nge an offer alre	dment on each copy of the URE OF YOUR HOUR AND DATE ady submitted, such
13. THIS		O MODIFICATIONS OF CON		DERS	
A. This Change Order is Issued Pursual	nt To:			nanges Set Forth	In Item 14 Are Made In
The Contract/Order No. In Item 10.  B. The Above Numbered Contract/Orde Set Forth In Item 14, Pursuant To T	er Is Modified To Reflect T	8 \	ch as changes	in paying office,	appropriation data, etc.)
C. This Supplemental Agreement Is Ent	·	` ′			
D. Other (Specify type of modification a	and authority)				
E. IMPORTANT: Contractor is not,  14. Description Of Amendment/Modification (Contractor SEE SECOND PAGE FOR DESCRIPTION		this document and return		copies to the Issu ect matter where	8
Except as provided herein, all terms and condi- and effect.  15A. Name And Title Of Signer (Type or print)		renced in item 9A or 10A, as her			
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of A  By		) Peet	16C. Date Signed
(Signature of person authorized to sign) NSN 7540-01-152-8070		30-105-02 (Signature of	Contracting (		ORM 30 (REV. 10-83)

## **CONTINUATION SHEET**

### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-00-R-0010

MOD/AMD 0001

Page 2 of 6

### Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

- 1. The purpose of this amendment is:
- a. To replace E-4 (Clause ES6031) entitled "First Article Test (Contractor Testing)" with the revised Clause ES6031 which is a part of this amendment. The change is in paragraph (a) of the clause. The requirement for 3 each Frame Assy (PN 12927770-2) as part of the first article test was in error and has been deleted. The Frame Assy (PN 12927770-2) is not part of the Parts Kit being solicited in this requirement. NOTE: A list of the parts included in the Parts Kit, Hydraulic Pump being solicited is included on Page 2 of Drawing 12987864.
- b. To replace C-1 (Clause CS6100) entitled "Drawings/Specifications" with the revised Clause CS6100 which is a part of this amendment. Note: This is a minor change in wording and the change is underlined for easy identification.
- c. To provide clarification of Note 3 on Drawing 12987864 which states "This kit is to be installed in accordance with Assembly Drawing 12927783 which will be furnished by the Government to the Kit Manufacturer and/or installers in such quantities as may be deemed necessary." Drawing 12927783 (2 pages) is a part of the technical data provided for this solicitation. The contractor will reproduce copies of this drawing on 8 1/2 inch by 11 inch bond paper and pack one copy with each parts kit required.
- d. To emphasize that, as previously stated in Sections A and L of the solicitation, PROPOSALS SHALL BE SUBMITTED IN ELECTRONIC FORMAT. HARD COPY PROPOSALS WILL NOT BE ACCEPTED. Specific instructions for electronic submission of offers is contained elsewhere in Section L of the solicitation. Note: On Page 1 of the solicitation, Number 9, first sentence, the verbage regarding "Sealed offers in original and one signed copy" is conflicting and is to be disregarded but the time for receipt of offers is correct at 3:45 PM, CT 13 Jan 2000.
- 2. All other terms and conditions remain unchanged.

\*\*\* END OF NARRATIVE A002 \*\*\*

# **CONTINUATION SHEET**

### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-00-R-0010

MOD/AMD 0001

Page 3 of 6

### Name of Offeror or Contractor:

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

Status Regulatory Cite Title Date CHANGED 52.210-4501 DRAWINGS/SPECIFICATION MAR/1988 TACOM-RI

In addition to the drawing(s) and/or specifications listed below, other documents which are part of this procurement and which apply to Preservation/Packaging/Packing and Inspection and Acceptance are contained elsewhere.

The following drawing(s) and specifications are applicable to this procurement.

Drawings and Specifications in accordance with inclosed Technical Data Package Listing - TDPL 12987864 with revisions in effect as of 24 Aug 99 (except as follows):

DOCU	JMENT	DELETE	REPLACE WITH
QAP	117839	27 AQLS and/or Table I	MIL-STD-1916 VL IV for MAJOR and VL II for MINOR characteristics
		ATTRIBUTES SAMPLING	
QAP	125533	53 "	н
QAP	125536	02 "	n .
QAP	125536	05 "	n .
QAP	129277	66 "	н
QAP	129277	67 "	n .
QAP	129277	68 "	n .
QAP	129277	70 "	н
QAP	129878	34 "	n .
For	QAP 12	553353	
Pg.	1, und	er SPECIFICATIONS, delete MI	L-M-6083 and replace with MIL-PRF-6083.
Pg.	4, PAR	T III, TABLE I, change MAJOR	112 and 113 as follows:
	FROM:	112 1.3125-12UN-2B THREADED	BOSS 1F2 1 SMTE
	TO:	112 1.3125-12UN-2B THREADED	BOSS 1F2
		PITCH DIAMETER	SMTE
		MAJOR DIAMETER	SMTE

FROM: 113 1.0625-12UNB-2B THREADED BOSS 1F2 1 SMTE

TO: 113 1.0625-12UNB-2B THREADED BOSS 1F2 PITCH DIAMETER SMTE MAJOR DIAMETER

Pg. 5, PART III: add MINOR 206 as follows: 206 WORKMANSHIP (See MIL-W-63150) VISUAL AND TATICLE

For QAP 12543602, Pg. 1, PART I, under STANDARDS, delete MIL-STD-372 and replace with AMS D1.2.

For QAP 12553605, Pg. 4, PART II, TABLE I, change 108 as follows:

FROM: 108 .250-20UNC-2B THREAD (3) HOLES E6 1 SMTE

TO: 108 .250-20UNC-2B THREAD (3) HOLES E.6 SMTE PITCH DIAMETER MINOR DIAMETER

For QAP 12927766, Pg. 1, PART I, under STANDARDS, delete MIL-STD-272 and replace with AMS D1.2.

Pg. 5, under PART IV-CERTIFICATION REQUIREMENTS, add "The certification provisions of MIL-W-63150 for Certificates of Conformance (COC) shall apply. Certification is required for 401 thru 408.

For QAP 12927768, Pg. 4, PART II, TABLE I, change 203 as follows:

FROM: 203 .250-20UNC-2B THREADS 1 D5 TO: 203 .250-20UNC-2B THREADS D5 1 PITCH DIAMETER SMTE MINOR DIAMETER SMTE

For QAP 12927770, Pg. 3, PART III, TABLE I, change 107 and 108 as follows: FROM: 107 1.500-16UN-2A THREADS 2 G7 SMTE TO: 107 1.500-16UN-2A THREADS G7 PITCH DIAMETER SMTE MAJOR DIAMETER SMTE 2 F7 FROM: 108 1.062-12UNF-2B THREADS SMTE TO: 108 1.062-12UNF-2B THREADS 2 F7 SMTE

CONTINUATION	V SHEET
CONTINUATION	SHEEL

## Reference No. of Document Being Continued

PIIN/SIIN DAAE20-00-R-0010

MOD/AMD 0001

Page 4 of 6

## Name of Offeror or Contractor:

PITCH DIAMETER MINOR DIAMETER

SMTE SMTE

Pg. 3, under PART IV-CERTIFICATION REQUIREMENTS, add "The certification provisions of MIL-W-63150 for Certification of Test Reports (CTR) shall apply. Certification is required for 401 thru 405."

(End of Clause)

(CS6100)

## **CONTINUATION SHEET**

### Reference No. of Document Being Continued

PIIN/SIIN DAAE20-00-R-0010

MOD/AMD 0001

Page 5 of 6

### Name of Offeror or Contractor:

SECTION E - INSPECTION AND ACCEPTANCE

	Status Regulatory Cite	Title	Date
E-1	CHANGED 52.209-4512	FIRST ARTICLE TEST (CONTRACTOR TESTING)	MAY/1994

- a. The first article shall consist of:
- 3 EACH PN 12927770-1 BELLOWS ASSEMBLY

TACOM-RI

- 3 EACH PN 12927767 SUCTION STRAINER
- 3 EACH PN 12987834 TUBE ASSEMBLY, PUMP

which shall be examined and tested in accordance with contract requirements, the item specification(s), Quality Assurance Provisions (QAPs) and all drawings listed in the Technical Data Package. THE CONTRACTOR MUST COMPLY WITH ALL DRAWING REQUIREMENTS AND NOTES CONTAINED ON THE DRAWINGS.

- b. The first article shall be representative of items to be manufactured using the same processes and procedures and at the same facility as contract production. All parts and materials, including packaging and packing, shall be obtained from the same source of supply as will be used during regular production. All components, subassemblies, and assemblies in the first article sample shall have been produced by the Contractor (including subcontractors) using the technical data package provided by the Government.
- c. The first article shall be inspected and tested by the contractor for all requirements of the drawing(s), the QAPs, and specification(s) referenced thereon, except for:
- (1) Inspections and tests contained in material specifications provided that the required inspection and tests have been performed previously and certificates of conformance are submitted with the First Article Test Report.
- (2) Inspections and tests for Military Standard (MS) components and parts provided that inspection and tests have been performed previously and certifications for the components and parts are submitted with the First Article Test Report.
- (3) Corrosion resistance tests over 10 days in length provided that a test specimen or sample representing the same process has successfully passed the same test within 30 days prior to processing the first article, and results of the tests are submitted with the First Article Test Report.
- (4) Life cycle tests over 10 days in length provided that the same or similar items manufactured using the same processes have successfully passed the same test within 1 year prior to processing the first article and results of the tests are submitted with the First Article Test Report.
- (5) Onetime qualification tests, which are defined as a onetime on the drawing(s), provided that the same or similar item manfactured using the same processes has successfully passed the tests, and results of the test are on file at the contractor's facility and certifications are submitted with the First Article Test Report.
- d. The Contractor shall provide to the Contracting Officer at least 15 calendar days advance notice of the scheduled date for final inspection and test of the first article. Those inspections which are of a destructive nature shall be performed upon additional sample parts selected from the same lot(s) or batch(es) from which the first article was selected.
- e. A First Article Test Report shall be compiled by the contractor documenting the results of all inspections and tests (including supplier's and vendor's inspection records and certifications, when applicable). The First Article Test Report shall include actual inspection and test results to include all measurements, recorded test data, and certifications (if applicable) keyed to each drawing, specification and QAP requirement and identified by each individual QAP characteristic, drawing/specification characteristic and unlisted characteristic. The Government Quality Assurance Representative's (QAR) findings shall be documented on DD Form 1222, Request for and Results of Tests, and attached to the contractor's test report. Two copies of the First Article Test Report and the DD Form 1222 will be submitted through the Administrative Contracting Officer to the Contracting Officer with an additional information copy furnished to CDR ARDEC, ATTN: AMSTA-AR-QAW-C/FRANK JAMIESON, ROCK ISLAND, IL 61299-7630.
- f. Notwithstanding the provisions for waiver of first article, an additional first article sample or portion thereof, may be ordered by the Contracting Officer in writing when (i) a major change is made to the technical data, (ii) whenever there is a lapse in production for a period in excess of 90 days, or (iii) whenever a change occurs in place of performance, manufacturing process, material used, drawing, specification or source of supply. When conditions (i), (ii), or (iii) above occurs, the Contractor shall notify the Contracting Officer so that a determination can be made concerning the need for the additional first article sample or portion thereof, and instructions provided concerning the submission, inspection, and notification of results. Costs of the first article testing resulting from production process change, change in theplace of performance, or material

PIIN/SIIN DAAE20-00-R-0010 MOD/AMD 0001	CONTINUATION SHEET	Reference No. of Document Being Continued	Page 6 of 6
	CONTINUATION SHEET	PHN/SHN DAAE20-00-R-0010 MOD/AMD 0001	

Name of Offeror or Contractor:

substitution shall be borne by the Contractor.

(End of Clause)

(ES6031)